

Data sheet

Keystone wall outlet UPk 1 port pure white unequipped

Page 1/6


P/N
130B20D11102KE
EAN 4250184157779

2017-18-08

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- termination unit for individual modules in Keystone design mounted in cable duct
- module plug direction 45° downwards
- strain relief on the module
- with label window for enclosed identification labels
- label sheet 209 x 294 mm see accessories
- integrated dust protection covers (also colored versions available)
- cover parts in pure white RAL 9010, structured surface with matt finish
- compatible with "design" central units of switch lines (note: 3 port central units at present only available from JUNG)
- variants: 1 port, 2 ports, 3 ports



Data sheet

Page 2/6

Keystone wall outlet UPk 1 port pure white unequipped

P/N
130B20D11102KE
EAN 4250184157779

2017-18-08

Technical Data

General Data

Fields of application	Office
Design	Wall outlet
Mounting style	UPk
Color	pure white
Dimensions	
Dimension (L x W x H)	23.30 x 69.90 x 69.90 mm
Dimension (L x W x H)	0.917 x 2.752 x 2.752 in.
Labeling option	label window with identification label
Marking option	by dust protection

Connections/interfaces

Number of ports interface 2	1
Number of ports interface 2 equipped	0
Module plug-in direction	45° downwards

Mechanical characteristics

Cut-out	Keystone
strain relief	attached to module

Materials and material properties

Material - Supporting frame	GD-Zn (zinc die-cast)
Material - Cover part(s)	ABS
Material - Label window	ABS, transparent
Material - Dust protection	ABS

Approvals

RoHS	compliant
------	-----------

The product meets the following standards

Cover plates for installation devices 1	DIN 49075-1:1989-10
Cover plates for installation devices 2	DIN 49075-2:1989-10



Data sheet

Page 3/6

Keystone wall outlet UPk 1 port pure white unequipped

P/N

130B20D11102KE

EAN 4250184157779

2017-18-08

Technical Data

Classifications

ETIM 5.0	EC001264
ETIM 6.0	EC001264

Packing details

Type of packaging	10 pc(s) / box
Packaging unit - Weight (gram)	1268.00 g
Packaging unit - Weight (pound)	2.80 lb
Packaging dimension (W x H x D)	340.00 x 266.00 x 126.00 mm
Packaging dimension (W x H x D)	13.386 x 10.472 x 4.961 in.



Keystone wall outlet UPk 1 port pure white unequipped

P/N
130B20D11102KE
EAN 4250184157779

2017-18-08

Accessories

P/N	Designation
130829-02-I	Surface mount frame 85 x 85 mm - Single, pure white
1308895010-I	Montagehalter für Anschlussdosen T-Nut-Befestigung - Einbau waagrecht 50 mm, ohne Trennschale
1308895011-I	Montagehalter für Anschlussdosen T-Nut-Befestigung - Einbau waagrecht 50 mm, mit Trennschale
1308895020-I	Montagehalter für Anschlussdosen Tragschienenbefestigung - Einbau waagrecht 50 mm, ohne Trennschale
1308895021-I	Montagehalter für Anschlussdosen Tragschienenbefestigung - Einbau waagrecht 50 mm, mit Trennschale
1308895040-I	Montagehalter für Anschlussdosen T-Nut-Befestigung - Einbau senkrecht 50 mm, ohne Trennschale
1308895041-I	Montagehalter für Anschlussdosen T-Nut-Befestigung - Einbau senkrecht 50 mm, mit Trennschale
1308895220-I	Montagehalter für Anschlussdosen Tragschienenbefestigung - Einbau waagrecht 52 mm, ohne Trennschale
1308895221-I	Montagehalter für Anschlussdosen Tragschienenbefestigung - Einbau waagrecht 52 mm, mit Trennschale
1308895510-I	Montagehalter für Anschlussdosen T-Nut-Befestigung - Einbau waagrecht 55 mm, ohne Trennschale
1308895511-I	Montagehalter für Anschlussdosen T-Nut-Befestigung - Einbau waagrecht 55 mm, mit Trennschale
1308895520-I	Montagehalter für Anschlussdosen Tragschienenbefestigung - Einbau waagrecht 55 mm, ohne Trennschale
1308895521-I	Montagehalter für Anschlussdosen Tragschienenbefestigung - Einbau waagrecht 55 mm, mit Trennschale
1308895540-I	Montagehalter für Anschlussdosen T-Nut-Befestigung - Einbau senkrecht 55 mm, ohne Trennschale
1308895541-I	Montagehalter für Anschlussdosen T-Nut-Befestigung - Einbau senkrecht 55 mm, mit Trennschale
899650-01	Label sheet for wall outlets



Data sheet

Page 5/6

Keystone wall outlet UPk 1 port pure white unequipped

P/N

130B20D11102KE

EAN 4250184157779

2017-18-08

Accessories

820395-0102-I	Cover plates for E-DAT modul wall outlets, pure white
820394-0105-I	Dust protection covers for wall outlets yellow
820394-0106-I	Dust protection covers for wall outlets blue
820394-0107-I	Dust protection covers for wall outlets green
820394-0108-I	Dust protection covers for wall outlets red
130889FKH-I	Mounting bracket FR for Kleinhuis
130889FNI-I	Mounting bracket FR for Niedax
130889FTE-I	Mounting bracket FR for Tehalit
130889ADTK-I	Mounting bracket ADTK for OBO
130889ADTSA-I	Mounting bracket ADTSA for OBO
130829-4302-I	Surface mount frame 43x85x85 pure white



P | Cabling

Data sheet

Keystone wall outlet UPk 1 port pure white unequipped

Page 6/6

P/N
130B20D11102KE
EAN 4250184157779

2017-18-08

Illustrations

Dimensional drawing

