

Data sheet

OpDAT 4 UP unequipped simplex pure white

Page 1/5

P/N

1501100002-E


EAN 4250184106753

2017-08-03

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- glass fiber termination unit for mounting on a wall conduit for fibre optic couplers
- unequipped for simplex or duplex couplers
- plug direction 10° downwards
- strain relief with cable ties possible
- with label window for enclosed identification labels
- suitable for preassembled cables and on-site assembly of plugs
- cover parts in pure white RAL 9010

matching couplers:

simplex

4x LC-D (SC simplex design)
4x SC simplex
4x ST
4x E2000 simplex
4x FC (ST design)

duplex

2x LC-Q
2x SC-D
2x ST-D
2x SC-D/ST



OpDAT 4 UP unequipped simplex pure white

P/N

1501100002-E

EAN 4250184106753

2017-08-03

Technical Data

General Data

Fields of application

Design White outlet

Mounting style flush mount

Color pure white

Dimensions

Dimension (L x W x H) 27.00 x 85.00 x 112.00 mm

Dimension (L x W x H) 1.063 x 3.346 x 4.409 in.

Labeling option label window with identification label

Connections/interfaces

Number of ports interface 2 4

Number of ports interface 2 equipped 0

Module plug-in direction 10° downwards

Mechanical characteristics

Strain relief cable tie

Materials and material properties

Material - Housing Plastics

Material - Cover part(s) ABS

Material - Label window ABS, transparent

Material - Dust protection ABS

Approvals

RoHS compliant

The product meets the following standards

Cover plates for installation devices 1 DIN 49075-1:1989-10

Cover plates for installation devices 2 DIN 49075-2:1989-10

Classifications

ETIM 5.0 EC001409

ETIM 6.0 EC001409



Technical Data

Packing details

Type of packaging	1 pc(s) / box
Packaging unit - Weight (gram)	121.00 g
Packaging unit - Weight (pound)	0.27 lb
Packaging dimension (W x H x D)	83.00 x 33.00 x 140.00 mm
Packaging dimension (W x H x D)	3.268 x 1.299 x 5.512 in.



OpDAT 4 UP unequipped simplex pure white

P/N

1501100002-E

EAN 4250184106753

2017-08-03

Accessories

P/N	Designation
150810-I	OpDAT cable guide for OpDAT 4 UP



P | Cabling

Data sheet

OpDAT 4 UP unequipped simplex pure white

Page 5/5

P/N

1501100002-E

EAN 4250184106753

2017-08-03

Illustrations

Dimensional drawing

