

Data sheet

OpDAT 4 UP unequipped duplex pure white

Page 1/5

P/N

1501105002-E

EAN 4250184106937


2019/09/06

Version: P

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- glass fiber termination unit for mounting on a wall conduit for fibre optic adapters
- unequipped for simplex or duplex adapters
- plug direction 10° downwards
- strain relief with cable ties possible
- with label window for enclosed identification labels
- suitable for preassembled cables and on-site assembly of plugs
- cover parts in pure white RAL 9010

matching adapters:

simplex

4x SC simplex

4x ST

4x E2000 simplex

4x FC (ST design)

4x LC-D (SC simplex design)

2x LC-Q

duplex

2x SC-D

2x ST-D

2x SC-D/ST



P | Cabling

Data sheet

Page 2/5

OpDAT 4 UP unequipped duplex pure white

P/N

1501105002-E

EAN 4250184106937

2019/09/06

Version: P

Technical Data

General Data

Fields of application

Office

Design

wall outlet

Mounting style

flush mount

Color

Pure white

Dimensions

Dimension (L x W x H)

27 mm x 85 mm x 112 mm

Dimension (L x W x H)

1.063 in. x 3.346 in. x 4.409 in.

Labeling option

label window with identification label

Connections/interfaces

Number of ports interface 2

4

Number of ports interface 2 equipped

0

Module plug-in direction

10° downwards

Mechanical characteristics

strain relief

cable tie

Materials and material properties

Material - Housing

Plastics

Material - Cover part(s)

ABS

Material - Label window

ABS, transparent

Material - Dust protection

ABS

RoHS

compliant

Classifications

ETIM 5.0

EC001409

ETIM 6.0

EC001409

ETIM 7.0

EC001409

Packing details

Type of packaging

1 pc(s) / box

Packaging unit - Weight (gram)

121 g

Packaging unit - Weight (pound)

0.27 lb

Packaging dimension

83 mm x 33 mm x 140 mm



OpDAT 4 UP unequipped duplex pure white

P/N

1501105002-E

EAN 4250184106937

2019/09/06

Version: P

Technical Data

Packing details

Packaging dimension	3.268 in. x 1.299 in. x 5.512 in.
---------------------	-----------------------------------



OpDAT 4 UP unequipped duplex pure white

P/N

1501105002-E

EAN 4250184106937

2019/09/06

Version: P

Accessories

P/N	Designation
150810-I	OpDAT cable guide for OpDAT 4 UP

P | Cabling

Data sheet

OpDAT 4 UP unequipped duplex pure white

Page 5/5

P/N

1501105002-E

EAN 4250184106937

2019/09/06

Version: P

Illustrations

Dimensional drawing

